

# Poster Presentations

17:10 - 19:10, Monday, June 26, 2017

ANA Crowne Plaza, Room Ootori

## Topical session 1 (Single Cell Measurements and Manipulations)

- P-T1-001** Gene detection in isolated single cells on a microfluidic device  
Izumi Kubo (Soka University, Japan) ...120
- P-T1-002** Measurement of extracellular potential in single cardiomyocytes arranged on multi-electrode array with agarose microchambers  
Tomoyuki Kaneko (Hosei University, Japan) ...121
- P-T1-003** Response of single-cell-level-arranged cardiomyocyte networks on agarose microchamber by electrical stimulation  
Koki Fujii (Hosei University, Japan) ...122
- P-T1-004** Improvement of agarose microchambers for long-term culture of single fibroblasts in physically confined spaces  
Aya Miwa (Hosei University, Japan) ...123
- P-T1-005** A micro cell wagon device for plasma treatment  
Minoru Sasaki (Toyota Technological Institute, Japan) ...124
- P-T1-006** Measurement of cancer cell stiffness governed by intermediate filament nestin for non-adherent mimicking cells  
Ayana Yamagishi (AIST, Japan) ...125
- P-T1-007** Relationship between stiffness of cancer cell and mechanical property of intermediate filament  
Moe Susaki (Tokyo University of Agriculture and Technology, Japan) ...126
- P-T1-008** Improvement of nanoneedle insertion efficiency by cell-puncturing protein  
Chikashi Nakamura (Tokyo University of Agriculture and Technology, Japan) ...127
- P-T1-009** Single cell manipulation by using cup-shaped AFM chip  
Hyonchol Kim (AIST, Japan) ...128
- P-T1-010** Two-color fluorescent microscopic observation of breast cancer cells on the bull's eye-plasmonic chip  
Shota Izumi (Kwansei Gakuin University, Japan) ...129
- P-T1-011** Surface plasmon resonance based optical trapping of neurotransmitter receptors on neurons cultured on a plasmonic chip  
Yuki Matsubayashi (AIST, Japan) ...130
- P-T1-012** Frequency characteristics of morphology controlled neurons on microcontact printed protein patterns  
Ryosuke Matsumura (Tohoku University, Japan) ...131
- P-T1-013** Optical trapping dynamics of AMPA receptors on neurons revealed by fluorescence analysis  
Tatsunori Kishimoto (AIST, Japan) ...132
- P-T1-014** Evoked responses in living neuronal networks with femtosecond laser-induced stimulation  
Yuji Fujioka (AIST, Japan) ...133
- P-T1-015** Micro-scale evaluation of surface mechanical property of biological object by femtosecond laser impulse stimulation and AFM detection  
Takanori Iino (Nara Institute of Science and Technology, Japan) ...134
- P-T1-016** 3D-cancer-stromal tissues constructed by controlling cell-interfaces for drug assessment  
Michiya Matsusaki (Osaka University, Japan) ...135

## Topical session 2 (Biosensing Technologies for Diagnostics)

- P-T2-001** In situ observation of cytochrome c functionality immobilized on solid/liquid interfaces with UV-visible slab optical waveguide spectroscopy  
Naoki Matsuda (AIST, Japan) ...136
- P-T2-002** Blood ionogram based on ion-specificity using a nanoscale silicon transistor  
Nicolas Clément (IEMN-CNRS, France) ...137
- P-T2-003** Development of MEMS structure for suppression of ion diffusion toward a multimodal neurotransmitter image sensor  
Yuta Ogaeri (Toyohashi University of Technology, Japan) ...138
- P-T2-004** An elastomer-based MEMS Fabry-Perot interferometric surface-stress sensor for biomarker detection  
Reina Teramoto (Toyohashi University of Technology, Japan) ...139
- P-T2-005** Design trade-off between special resolution and power consumption in CMOS biosensor circuit based on millimeter-wave LC-oscillator array  
Maya Matsunaga (Nagoya University, Japan) ...140
- P-T2-006** A warfarin sensor using a paste electrode of graphite grafted with molecularly imprinted polymer  
Yasuo Yoshimi (Shibaura Institute of Technology, Japan) ...141
- P-T2-007** Optimization of peptide aptamer immobilization onto single-walled carbon nanotube field-effect transistor for aptasensor  
Nguyen Tung Thanh (Japan Advanced Institute of Science and Technology, Japan) ...142
- P-T2-008** Plasmonic silver plating for molecular detection and biosensing  
Hiroyuki Yoshikawa (Osaka University, Japan) ...143
- P-T2-009** Sensitive electrochemical DNA biosensing for Methicillin-resistant *Staphylococcus aureus* using nanoparticle modified probe  
Hiroaki Sakamoto (University of Fukui, Japan) ...144
- P-T2-010** Genetic screening with sub-pM sensitivity by electrophoresis of gold nanoparticles dually labeled with single-stand DNA probes  
Keiko Esashika (Keio University, Japan) ...145
- P-T2-011** Antigen-coated magnetic Janus particles for immunological diagnosis  
Hiroshi Yabu (Tohoku University, Japan) ...146
- P-T2-012** Field-applicable biosensing of cutaneous leishmaniasis species by rapid Recombinase Polymerase Amplification and Temperature Gradient Gel Electrophoresis  
Himankshi Rathore (Japan Advanced Institute of Science and Technology, Japan) ...147
- P-T2-013** PCR primer detection via molecular recognition by surface modified molecular ligand  
Kazuyuki Nobusawa (Osaka University, Japan) ...148
- P-T2-014** The PCR amplification limit under low ionic conditions  
Huanwen Han (Osaka University, Japan) ...149
- P-T2-015** Study of hybrid micro/nano plasmonic structure for single cell array application  
Riyaz Ahamad Mohamed Ali (Osaka University, Japan) ...150
- P-T2-016** Electrochemical immunosensor based on a screen printed electrode modified for the detection of prostate cancer  
Sean Patrick Rawlinson (Ulster University, UK) ...151
- P-T2-017** A fully integrated CMOS millimeter wave biosensor circuit with an on-chip vector network analyzer for circulating tumor cell (CTC) analysis  
Taiki Nakanishi (Nagoya University, Japan) ...152
- P-T2-018** Matrix-free amino acid analysis by pulse-heating ion source for miniaturized mass spectrometry  
Xi Luo (Japan Advanced Institute of Science and Technology, Japan) ...153

### Topical session 3 (Singlet Fission)

- P-T3-001** Singlet fission dynamics in diphenylhexatriene derivatives  
Ryuzi Katoh (Nihon University, Japan) ...154
- P-T3-002** Dissociation yield of charge pairs in organic photovoltaic cells with and without an external electric field  
Kazuhiko Seki (AIST, Japan) ...155

### Topical session 4 (Next Era Computing Contributed by M&BE)

- P-T4-001** Size dependent magnetic properties of  $\text{La}_2\text{CuO}_4$  and  $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$  nanoparticles fabricated by sol-gel method  
Faisal Budiman (Kyushu Institute of Technology, Japan) ...156
- P-T4-002** Ag-Ag<sub>2</sub>S core-shell nanoparticles synthesis and random network fabrication for reservoir computing  
Hadiyawarman (Kyushu Institute of Technology, Japan) ...157
- P-T4-003** Fabrication of graphene nanoribbon by unzipping single-walled carbon nanotubes and investigating the suitable condition by Design of Experiments  
Hideaki Furuki (Kyushu Institute of Technology, Japan) ...158
- P-T4-004** Unzip of single- and double-walled carbon nanotubes to synthesize single-layer graphene nanoribbon using radical initiator  
Minoru Fukumori (Osaka University, Japan) ...159
- P-T4-005** Molecular electronic devices of random single-walled carbon nanotubes network adsorbed with  $\text{SV}_2\text{W}_{10}\text{O}_{40}[\text{H}_4\text{t-BuTPP}]$   
Detiza Goldianto Octensi Hernowo (Kyushu Institute of Technology, Japan) ...160
- P-T4-006** Fabrication of Ag/Ag<sub>2</sub>S structure and measurement of electrical property  
Yurina Hidaka (Kyushu Institute of Technology, Japan) ...161
- P-T4-007** Design of single-molecule information-processing circuit mimicking foraging and information sharing behaviors of honeybees  
Toshihiko Tanabe (Yokohama National University, Japan) ...162
- P-T4-008** Nonlinear electrical properties of dinuclear ruthenium complex monolayer by conductive probe atomic force microscope  
Yoichi Otsuka (Osaka University, Japan) ...163
- P-T4-009** Conjugated electrical properties of Au nanoparticles-polyaniline network  
Yuki Usami (Osaka University, Japan) ...164
- P-T4-010** Non-linear I-V characteristics of Ru complex layers with a double junction nanogap electrode  
Satoshi Nishijima (Osaka University, Japan) ...165
- P-T4-011** Molecular dynamics simulation of mechanical properties of organic semiconductors  
Toshihiro Shimada (Hokkaido University, Japan) ...166

### Topical session 5 (Molecular Interfaces)

- P-T5-001** The evolution of intermolecular energy bands of occupied and unoccupied molecular orbitals in organic thin films  
Yuki Kashimoto (Chiba University, Japan) ...167
- P-T5-002** Fine tuning of work function in organic electronics using vacuum ultraviolet technique

	<u>Porrathon Tantitarntong</u> (The University of Tokyo, Japan)	...168
<b>P-T5-003</b>	Charge transfer induced by MoO <sub>3</sub> at boron subphthalocyanine chloride/ $\alpha$ -sexithiophene heterojunction interface	
	<u>Alexandre L. Foggianto</u> (University of Tsukuba, Japan)	...169
<b>P-T5-004</b>	Depth distribution of the chemical composition and electronic structures of the CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> thin films and the hole-extracting interfaces	
	<u>Soichiro Yamanaka</u> (Tokyo University of Science, Japan)	...170
<b>P-T5-005</b>	Epitaxial growth of C <sub>60</sub> overlayer on rubrene single crystal	
	<u>Ryohei Tsuruta</u> (Tokyo University of Science, Japan)	...171
<b>P-T5-006</b>	Surface crystallographic structures of nano-cellulose films and adlayers of pentacene	
	<u>Yasuo Nakayama</u> (Tokyo University of Science, Japan)	...172
<b>P-T5-007</b>	TOF-SIMS analysis on organic/organic interfaces prepared by contact film transfer	
	<u>Kyohei Nakano</u> (RIKEN, Japan)	...173
<b>P-T5-008</b>	Charge transport in C <sub>8</sub> -BTBT field-effect transistors under high pressure	
	<u>Yugo Okada</u> (Chiba University, Japan)	...174
<b>P-T5-009</b>	High-density polymer brushes by surface segregation of liquid crystalline block copolymers	
	<u>Koji Mukai</u> (Nagoya University, Japan)	...175
<b>P-T5-010</b>	Protein adsorption behavior onto a polyurethane electrospun nanofiber surface	
	<u>Yuko Morita</u> (University of Fukui, Japan)	...176

## Topical session 6 (Iontronics)

<b>P-T6-001</b>	Resistive switching in ultra-thin SiO <sub>2</sub> films fabricated through polymer nanosheets	
	<u>Shunsuke Yamamoto</u> (Tohoku University, Japan)	...177
<b>P-T6-002</b>	Transient properties of light-emitting electrochemical cells studied by displacement current measurement	
	<u>Yutaka Noguchi</u> (Meiji University, Japan)	...178
<b>P-T6-003</b>	Improving the performance of light-emitting electrochemical cells by host-guest system	
	<u>Go Nagatsu</u> (Nagoya University, Japan)	...179
<b>P-T6-004</b>	Light emission from a bilayer of electrolyte and organic single crystal	
	<u>Keiichiro Matsuki</u> (Waseda University, Japan)	...180
<b>P-T6-005</b>	High performance light-emitting electrochemical cells based on ionic liquid	
	<u>Tomo Sakanoue</u> (Nagoya University, Japan)	...181
<b>P-T6-006</b>	Development of elemental technologies for practical use of light-emitting electrochemical cells	
	<u>Soichi Uchida</u> (JXTG Nippon Oil & Energy Corporation, Japan)	...182

## Session A (Materials, Fabrication and Characterization)

<b>P-A-001</b>	Negative differential resistance by inter-molecular resonant tunneling based on quinoidal fused oligosiloles derivatives	
	<u>Seungjoo Lee</u> (Tokyo Institute of Technology, Japan)	...183
<b>P-A-002</b>	Fabrication of sub-1-nm-gap electrodes using metal-mask patterning and electric property measurements of organic molecules in nm-sized spaces	
	<u>Yasuhisa Naitoh</u> (AIST, Japan)	...184
<b>P-A-003</b>	Single conductive polydiacetylene chain formation on h-BN (0001) surface	

	<u>Marina Vadimovna Makarova</u> (Czech Academy of Sciences, Czech Republic)	...185
<b>P-A-004</b>	Random telegraph signal in molecule-functionalized carbon nanotube electronic devices <u>Agung Setiadi</u> (Osaka University, Japan)	...186
<b>P-A-005</b>	Photoresponsive charge transport through CdSe/ZnS quantum dots in nanogap electrodes <u>Ryuji Yamashita</u> (Meiji University, Japan)	...187
<b>P-A-006</b>	Pt-base Au-electroplated robust nanogap electrodes for sub-10 nm devices <u>Yoon Young Choi</u> (Tokyo Institute of Technology, Japan)	...188
<b>P-A-007</b>	Electronic structure of OLED host materials studied by high-sensitivity photoemission spectroscopy: photoemission from shallow state above Fermi level <u>Kohei Shimizu</u> (Chiba University, Japan)	...189
<b>P-A-008</b>	Synthesis and molecular packing control of subnaphthalocyanine derivatives as organic Semiconductive materials by peripheral substitution and axial ligand <u>Akuto Takagi</u> (Doshisha University, Japan)	...190
<b>P-A-009</b>	Mobility measurements at various gate voltages by impedance spectroscopy in organic field-effect transistors <u>Yu Suenaga</u> (Osaka Prefecture University, Japan)	...191
<b>P-A-010</b>	In situ characterization of the film coverage and charge transport in alkylated-organic thin film transistor <u>Takeshi Watanabe</u> (Japan Synchrotron Radiation Research Institute, Japan)	...192
<b>P-A-011</b>	Deposition of the active layer in the organic thin film solar cell by electrospray <u>Daiki Tangiku</u> (Aichi Institute of Technology, Japan)	...193
<b>P-A-012</b>	Reduced nucleation rate of metal nanocrystals around molecular steps on organic crystal surfaces <u>Saki Matsumoto</u> (Osaka Kyoiku University, Japan)	...194
<b>P-A-013</b>	Selective metal-vapor absorption/desorption on photochromic surfaces <u>Saki Matsumoto</u> (Osaka Kyoiku University, Japan)	...195
<b>P-A-014</b>	Fabrication of MEH-PPV thin film by mist - vapor deposition and its characteristics <u>Shigetaka Katori</u> (Tsuyama College, Japan)	...196
<b>P-A-015</b>	Control of vertical aligned carbon nanotube diameter by using CoFe <sub>2</sub> O <sub>4</sub> nanoparticle Langmuir Blodgett film <u>Shuhei Tamiya</u> (Chiba University, Japan)	...197
<b>P-A-016</b>	Templating effects of tetrakis(thiadiazole)porphyrine on the structure and morphology of copper phthalocyanine thin films <u>Keitaro Eguchi</u> (Nagoya University, Japan)	...198
<b>P-A-017</b>	Origin of the HOMO band structure of polar phthalocyanine thin films <u>Takuya Hosokai</u> (AIST, Japan)	...199
<b>P-A-018</b>	Enhanced emission from hybrid Langmuir-Blodgett films of amphiphilic iridium complexes with the exfoliated nanosheets on a metal layer <u>Ryotaro Ozaki</u> (Ehime University, Japan)	...200
<b>P-A-019</b>	Observation of current spikes caused by possible fast carrier transfer through a low density polyethylene under high DC fields <u>Ryotaro Ozaki</u> (Ehime University, Japan)	...201
<b>P-A-020</b>	Effects of alkyl-chain lengths of $\alpha, \omega$ -quaterthiophenes on thin-film growth, structure and transport properties <u>Daiki Kuzuhara</u> (Iwate University, Japan)	...202
<b>P-A-021</b>	Tuning the physical properties of a silver nanoparticle sheet via immersion ligand exchange reaction <u>Pangpang Wang</u> (Kyushu University, Japan)	...203
<b>P-A-022</b>	Photo/e-beam lithographic patternable metal nanoparticle sheets	

	<u>Noboru Saito</u> (Kyushu University, Japan)	...204
<b>P-A-023</b>	A study of micron-sized pore structure in Ag nanoparticle 2D sheets <u>Haruka Takekuma</u> (Kyushu University, Japan)	...205
<b>P-A-024</b>	Surface morphology of vacuum-evaporated pentacene film on Si substrate studied by in-situ grazing-incidence small angle X-ray scattering <u>Ichiro Hirosawa</u> (Japan Synchrotron Radiation Research Institute, Japan)	...206
<b>P-A-025</b>	Improvement of vertical carrier mobility of organic semiconductor films by molecular orientation control <u>Keitaro Yamada</u> (Osaka University, Japan)	...207
<b>P-A-026</b>	Development of thin film deposition method using microwave excited atmospheric pressure plasma jet <u>Ryosuke Yamada</u> (Kanazawa University, Japan)	...208
<b>P-A-027</b>	Demonstration of modified dispersibility evaluation system for graphene oxide <u>Asami Ohtake</u> (Saga University, Japan)	...209
<b>P-A-028</b>	Vapor deposition of surface-tethered poly(vinylcarbazole) thin films <u>Takaki Saito</u> (Tokyo University of Agriculture and Technology, Japan)	...210
<b>P-A-029</b>	Vapor deposition polymerization of polyimide having naphthalene unit <u>Takatoshi Yamazaki</u> (Tokyo University of Agriculture and Technology, Japan)	...211
<b>P-A-030</b>	Photoalignment of liquid crystalline and microphase separated structures for POSS-LC diblock copolymer in thin films <u>Yumi Otsuka</u> (Nagoya University, Japan)	...212
<b>P-A-031</b>	Photoinduced mass transfer driven by the surface tension difference on photoresponsive liquid crystalline polymer films <u>Issei Kitamura</u> (Nagoya University, Japan)	...213
<b>P-A-032</b>	Measurement of incident molecular temperature in the formation of organic thin films <u>Takahiro Abe</u> (Shizuoka University, Japan)	...214
<b>P-A-033</b>	Analysis of organic thin-film growth by using quartz crystal microbalance <u>Ryosuke Matsubara</u> (Shizuoka University, Japan)	...215
<b>P-A-034</b>	Accurate and stable equal-pressure measurements of water vapor transmission rate of organic electronics packages reaching the $10^{-6}$ g m <sup>-2</sup> day <sup>-1</sup> range <u>Toshihiro Shimada</u> (Hokkaido University, Japan)	...216
<b>P-A-035</b>	Study by Raman spectroscopy of P3HT:PCBM bulk-heterojunction morphology <u>Norio Onojima</u> (University of Yamanashi, Japan)	...217
<b>P-A-036</b>	Dielectric properties of organic nanotubes comprising cyclic c-peptide <u>Takagaki Kazushi</u> (Kyoto University, Japan)	...218
<b>P-A-037</b>	Change of protein crystallization conditions related to applied voltage levels <u>Susumu Toyoshima</u> (National Institute of Technology, Fukushima College, Japan)	...219
<b>P-A-038</b>	Synthesis and characterization of hydrophilic carbon material by using atmospheric pressure plasma <u>Koichi Sakaguchi</u> (Saga University, Japan)	...220
<b>P-A-039</b>	Alignment control of highly ordered lamellar structure of random copolymers with liquid crystalline azobenzene and POSS side-chain units <u>Miho Nagai</u> (Nagoya University, Japan)	...221
<b>P-A-040</b>	Preparation and electronic properties of tetrathiafulvalene-modified cyclic-beta-peptide nanotube <u>Hiroataka Uji</u> (Kyoto University, Japan)	...222
<b>P-A-041</b>	Green synthesis of octacyanometalphthalocyanine in ionic liquid <u>Yasuko Koshiba</u> (Kobe University, Japan)	...223
<b>P-A-042</b>	Designed preparation of sphere-forming block copolymer particles by homopolymer blending <u>Yutaro Hirai</u> (Tohoku University, Japan)	...224

<b>P-A-043</b>	Cu cladding on polymer surface by ionization-assisted deposition <u>Tomoki Kohno</u> (Tokyo University of Agriculture and Technology, Japan)	...225
<b>P-A-044</b>	Development of polythiophene nanoparticles showing reversible multi-chromic response in aqueous media <u>Krishnachary Salikolimi</u> (RIKEN, Japan)	...226
<b>P-A-045</b>	Effect of cholesterol on solubility and antioxidant capacity of genistein in phospholipid vesicles <u>Shunya Yamamoto</u> (Kanazawa University, Japan)	...227
<b>P-A-046</b>	Evaluating crystallinities of P3HT nanoparticles exhibiting thermochromic behavior prepared by reprecipitation <u>Kota Suetsugu</u> (Nagoya University, Japan)	...228
<b>P-A-047</b>	Photo-induced restriction of ionic motion in perovskite oxides revealed using microwave spectroscopy <u>Kento Yamada</u> (Osaka University, Japan)	...229
<b>P-A-048</b>	Surface modification and effects of organic ferroelectrics with blending hyperbranched polymer <u>Masahiro Morimoto</u> (Kobe University, Japan)	...230
<b>P-A-049</b>	Electric pulse-triggered interfullerene bond formation facilitated by porous template of trimesic acid <u>Kum-Yi Cheng</u> (National Taiwan University, Taiwan)	...231
<b>P-A-050</b>	Guided collaborative stacking of carbon nanotubes and polymer crystalline lamellae into hybrid oriented arrays <u>Jrjeng Ruan</u> (National Cheng Kung University, Taiwan)	...232
<b>P-A-051</b>	Molecular dynamics simulations of graphoepitaxy of organic semiconductors - Molecular-scale mechanisms of organic graphoepitaxy - <u>Susumu Ikeda</u> (Tohoku University, Japan)	...233
<b>P-A-052</b>	Highly oriented liquid crystalline thiophene polymer fabricated on the hydrophilic liquid substrate for high performance FET <u>Manish Pandey</u> (Kyushu Institute of Technology, Japan)	...234
<b>P-A-053</b>	Molecular engineering of tetrabenzoporphyrin toward efficient charge-carrier transport <u>Mitsuharu Suzuki</u> (Nara Institute of Science and Technology, Japan)	...235
<b>P-A-054</b>	Proton transport properties in organized polymer thin films <u>Yuki Nagao</u> (Japan Advanced Institute of Science and Technology, Japan)	...236
<b>P-A-055</b>	Effects of anchoring strength of dielectric shield wall surfaces on phase modulation in small liquid crystal pixels <u>Yoshitomo Isomae</u> (Tohoku University, Japan)	...237
<b>P-A-056</b>	Photoisomerization of azobenzene dye and transmission long-range surface plasmon resonance properties <u>Hiroshi Nakajyo</u> (Niigata University, Japan)	...238
<b>P-A-057</b>	Light-induced self-written waveguide by two-photon polymerization using near-infrared light and optical interconnection application <u>Freddy S Tan</u> (Utsunomiya University, Japan)	...239
<b>P-A-058</b>	Waveguide device fabrication using thermally stable EO polymers cross-linked with multiple linking site of EO molecules <u>Akira Otomo</u> (NICT, Japan)	...240
<b>P-A-059</b>	Silver nanoprisms enhanced propagating surface plasmon resonance on silver grating structure detected by transmission surface plasmon resonance imaging technique <u>Chutiparn Lertvachirapaiboon</u> (Niigata University, Japan)	...241
<b>P-A-060</b>	Research & development toward organic gas molecule sensing <u>Tohru Nakamura</u> (AIST, Japan)	...242
<b>P-A-061</b>	Heparin molecularly imprinted polymer fabricated by plasma-induced polymerization for quartz crystal	

	microbalance biosensor	
	<u>Atsushi Hikichi</u> (Shibaura Institute of Technology, Japan)	...243
<b>P-A-062</b>	Lead bromide-based layered perovskite Langmuir-Blodgett films having $\pi$ -conjugated molecules as organic layer by using squeezed out technique	
	<u>Masanao Era</u> (Saga University, Japan)	...244

## Session B (Organic Devices)

<b>P-B-001</b>	Operation mechanism of a multi-level organic field-effect transistor memory using $\text{Li}^+@C_{60}$ as a charge trapping layer	
	<u>Cuong Manh Tran</u> (Japan Advanced Institute of Science and Technology, Japan)	...245
<b>P-B-002</b>	Enhancement/depletion inverters consisting of pentacene transistors with controlled threshold voltages	
	<u>Hajime Takahashi</u> (Kobe University, Japan)	...246
<b>P-B-003</b>	A percolation aspect of hopping transport in amorphous pentacene	
	<u>Toshiaki Hayashi</u> (NTT Corporation, Japan)	...247
<b>P-B-004</b>	Contact doping effects analyzed by a parameter extraction method based on a single bottom-gate/top-contact organic thin-film transistor	
	<u>Kei Noda</u> (Keio University, Japan)	...248
<b>P-B-005</b>	Pentacene thin-film transistors with benzocyclobutene gate dielectric: Influence of curing temperature on the characteristics	
	<u>Yuki Hanafusa</u> (Kobe University, Japan)	...249
<b>P-B-006</b>	Development of an ultra-flexible organic differential amplifier for bio-signal monitoring	
	<u>Masahiro Sugiyama</u> (Osaka University, Japan)	...250
<b>P-B-007</b>	Solvent-free printing of organic devices	
	<u>Masatoshi Sakai</u> (Chiba University, Japan)	...251
<b>P-B-008</b>	Organic thin film transistor array fabricated on curved surface	
	<u>Masatoshi Sakai</u> (Chiba University, Japan)	...252
<b>P-B-009</b>	Fabrication and electrical anisotropy of field effect transistors based on oriented thin films of liquid crystalline phthalocyanine	
	<u>Masashi Ohmori</u> (Osaka University, Japan)	...253
<b>P-B-010</b>	Carrier doping effects on current-voltage and capacitance-voltage characteristics in organic thin film transistors	
	<u>Ryo Yamamoto</u> (Keio University, Japan)	...254
<b>P-B-011</b>	Copper phthalocyanine based thin-film transistors having high thermal resistivity over 300 °C	
	<u>Shotaro Watanabe</u> (Kobe University, Japan)	...255
<b>P-B-012</b>	Displacement current measurement in all-printed organic thin-film transistors	
	<u>Yasuo Azuma</u> (Tokyo Institute of Technology, Japan)	...256
<b>P-B-013</b>	Air stability of vertical organic transistors using quinacridone for the emitter layer	
	<u>Michitaka Okamoto</u> (Osaka University, Japan)	...257
<b>P-B-014</b>	Fabrication and characterization of polymer-based organic thin film transistors with S/D electrodes of highly doped polymer	
	<u>Daisuke Tadaki</u> (Tohoku University, Japan)	...258
<b>P-B-015</b>	Rate constant of trap formation in pentacene-based transistors studied by three-terminal displacement current measurement	
	<u>Yuya Tanaka</u> (Chiba University, Japan)	...259
<b>P-B-016</b>	Influence of contact resistance on the performance of high-mobility top-gate organic transistors with	



	short channel lengths	
	<u>Takashi Nagase</u> (Osaka Prefecture University, Japan)	...260
<b>P-B-017</b>	Device characteristics of dioctylbenzothienobenzothiophene-based organic field-effect transistors with double-gate configuration	
	<u>Tomoya Aiba</u> (Osaka Prefecture University, Japan)	...261
<b>P-B-018</b>	Improvement of solubility in liquid crystalline Ph-BTBT derivatives with an oxygen atom in side chain and their transistor characteristics	
	<u>Hiroaki Iino</u> (Tokyo Institute of Technology, Japan)	...262
<b>P-B-019</b>	Optically pumped lasing and electroluminescence of formamidinium perovskite semiconductors prepared by the cast-capping method	
	<u>Fumio Sasaki</u> (AIST, Japan)	...263
<b>P-B-020</b>	Influence of carbon length on characteristics of quantum dot light-emitting diodes with CuInZnS <sub>2</sub> quantum dots	
	<u>Takeshi Fukuda</u> (Saitama University, Japan)	...264
<b>P-B-021</b>	Significant lifetime enhancement of organic light emitting diodes by removing residual water during device fabrication	
	<u>Le Cong Duy</u> (Japan Advanced Institute of Science and Technology, Japan)	...265
<b>P-B-022</b>	Polarized near-infrared light emitting devices using low-band-gap polymer oriented films	
	<u>Nobutaka Tanigaki</u> (AIST, Japan)	...266
<b>P-B-023</b>	Doping concentration dependence on the rectification of pn homojunction diodes composed of polymer semiconductor	
	<u>Shin Sakiyama</u> (Kyushu University, Japan)	...267
<b>P-B-024</b>	Improved light emitting properties from single-layered polyfluorene device by simple ionic liquid blending	
	<u>Shohei Horike</u> (Kobe University, Japan)	...268
<b>P-B-025</b>	Improved luminance of quantum dot light-emitting diodes using InP/ZnS quantum dots with single ligand	
	<u>Hironao Sasaki</u> (Saitama University, Japan)	...269
<b>P-B-026</b>	Characteristics of fluorene-type polymer light-emitting diodes by incorporating the active layer fabricated by contact printing and the copper thiocyanate hole transporting layer	
	<u>Hirotake Kajii</u> (Osaka University, Japan)	...270
<b>P-B-027</b>	Analysis of luminance degradation curve of fluorescence organic light emitting diode using combined-exponential decay function	
	<u>Ryo Matsumoto</u> (Japan Advanced Institute of Science and Technology, Japan)	...271
<b>P-B-028</b>	Multilayered inverted polymer light emitting diodes with nano-electron injection buffer layers	
	<u>Ryo Taguchi</u> (Shinshu University, Japan)	...272
<b>P-B-029</b>	Organic crystal light-emitting transistors with top-gate configuration	
	<u>Takeshi Yamao</u> (Kyoto Institute of Technology, Japan)	...273
<b>P-B-030</b>	Direct fabrication of a diffraction grating onto organic single crystals by electron beam lithography	
	<u>Yuhi Inada</u> (Kyoto Institute of Technology, Japan)	...274
<b>P-B-031</b>	Higher electrical conduction and thermoelectronic properties of TTF-TCNQ cast films prepared with <i>N,N</i> -dimethylacetamide	
	<u>Takao Ishida</u> (AIST, Japan)	...275
<b>P-B-032</b>	Thermal conductivity measurements of carbon-nanotube threads using the 3omega method	
	<u>Yuki Sekimoto</u> (Nara Institute of Science and Technology, Japan)	...276
<b>P-B-033</b>	Humidity and ammonia gas detections using transmission surface plasmon resonance spectroscopy	
	<u>Tomohiro Takano</u> (Niigata University, Japan)	...277

<b>P-B-034</b>	Effects of surfactant addition on thermoelectric properties of PEDOT:PSS thin films <u>Naoki Kishi</u> (Nagoya Institute of Technology, Japan)	...278
<b>P-B-035</b>	Fabrication and evaluation of color sensor array with compound eye structure <u>Kazuhiro Kudo</u> (Chiba University, Japan)	...279
<b>P-B-036</b>	Electrical properties of inkjet-deposited poly(3,4-ethylenedioxythiophene)/ poly(4-styrenesulfonate) films evaluated with micro-scale gap electrodes <u>Tomohiro Kinoshita</u> (Keio University, Japan)	...280
<b>P-B-037</b>	Fabrication of carbon nanotube/cage-shaped protein composite threads for thermoelectric applications <u>Hiroki Hamabe</u> (Nara Institute of Science and Technology, Japan)	...281
<b>P-B-038</b>	Influence of graphene nanoplatelets additives on actuating response of carbon nanotube / ionic liquid / polymer composites actuators <u>Hirosato Monobe</u> (AIST, Japan)	...282
<b>P-B-039</b>	The waterproof connection technology toward wearable devices <u>Atsushi Kira</u> (Japan Aviation Electronics Ind., Ltd., Japan)	...283
<b>P-B-040</b>	Effect of organic buffer layers on low dark current of organic photodetectors <u>Yoonho Eom</u> (Korea Institute of Industrial Technology, Korea)	...284
<b>P-B-041</b>	Optical phased arrays using electro-optic polymer waveguides <u>Yoshikuni Hirano</u> (Japan Broadcasting Corporation, Japan)	...285
<b>P-B-042</b>	Optical terahertz-transmission modulation in organic-inorganic hybrid perovskite thin films on silicon substrate <u>Tatsunosuke Matsui</u> (Mie University, Japan)	...286
<b>P-B-043</b>	Thermosalient effect–crystals that exhibit acrobatic behaviour <u>Jasminka Popovic</u> (University of Zagreb, Croatia)	...287

### Session C (Energy Devices & Cells)

<b>P-C-001</b>	Carrier mobility of perlene derivatives and photovoltaic properties of organic p-n junction type cell using the perlene derivatives <u>Masanao Era</u> (Saga University, Japan)	...288
<b>P-C-002</b>	Highly soluble donor-acceptor polymers based on carbazole units with alkoxy substituents at the 4-Position for organic thin-film devices <u>Takeshi Yasuda</u> (National Institute for Materials Science, Japan)	...289
<b>P-C-003</b>	Probing the optimal structure of organic solar cells using displacement current measurement <u>Teng Ma</u> (Tohoku University, Japan)	...290
<b>P-C-004</b>	Impedance analysis of PbS quantum dot solar cells <u>Akihiro Takahashi</u> (Saitama University, Japan)	...291
<b>P-C-005</b>	Synthesis and photovoltaic performances of novel D-A copolymers having oligothiophenes partially containing 3,4-ethylenedioxythiophene <u>Ichiro Imae</u> (Hiroshima University, Japan)	...292
<b>P-C-006</b>	Impact of bromination of P3HT on the photovoltaic properties of P3HT:PCBM bulk heterojunction solar cell <u>Takuya Yoshitomi</u> (Kindai University, Japan)	...293
<b>P-C-007</b>	Highly efficient and thermally stable solar cells based on thiazolothiazole and naphthobisthiadiazole copolymers <u>Masahiko Saito</u> (Hiroshima University, Japan)	...294
<b>P-C-008</b>	$\pi$ -Conjugation effects of oligo(thienylenevinylene) side chains in semiconducting polymers on	

	photovoltaic performance	
	<u>Jianming Huang</u> (RIKEN, Japan)	...295
<b>P-C-009</b>	Mechanistic investigation into the light soaking effect observed in inverted polymer solar cells with voltage increase	
	<u>Takuji Kusumi</u> (Kanazawa University, Japan)	...296
<b>P-C-010</b>	Naphthobispyrazine as a weak electron-accepting building unit for medium-bandgap polymers	
	<u>Tsubasa Mikie</u> (Hiroshima University, Japan)	...297
<b>P-C-011</b>	Di-substituted pyrrolidine structures affecting Voc enhancement in organic photovoltaic cells	
	<u>Makoto Karakawa</u> (Kanazawa University, Japan)	...298
<b>P-C-012</b>	Design, synthesis and optoelectronic properties of unsymmetric diketopyrrolopyrrole conjugated copolymer	
	<u>Kenta Aoshima</u> (Osaka University, Japan)	...299
<b>P-C-013</b>	Effect of varying rubbing pressures on optical properties of pristine bilayer P3HT/PCBM organic photovoltaic cells	
	<u>Mohd Zaidan</u> (Japan Advanced Institute of Science and Technology, Japan)	...300
<b>P-C-014</b>	Sandwich-cell-type bulk-heterojunction organic solar cells utilizing liquid crystalline phthalocyanine	
	<u>Yuya Nakata</u> (Osaka University, Japan)	...301
<b>P-C-015</b>	$\pi$ -Extended acenedithiophene-based small molecules for solution-processed organic solar cells	
	<u>Hideaki Komiyama</u> (Tohoku University, Japan)	...302
<b>P-C-016</b>	Modification of internal layer structure in p-i-n-type organic solar cells with fullerene-linked tetrabenzoporphyrin	
	<u>Yuto Tamura</u> (Nara Institute of Science and Technology, Japan)	...303
<b>P-C-017</b>	Investigation of the effect of hydrophilic substituents in binary and ternary small-molecule organic photovoltaic cells	
	<u>Takuya Okabe</u> (Nara Institute of Science and Technology, Japan)	...304
<b>P-C-018</b>	Organic photovoltaic cell using near-infrared absorbing nickel complex	
	<u>Fuka Enokido</u> (Tokyo University of Agriculture and Technology, Japan)	...305
<b>P-C-019</b>	ZnO nanorods-based perovskite solar cells with rubrene:P3HT as hole transporting layers	
	<u>Christian Mark Pelicano</u> (Nara Institute of Science and Technology, Japan)	...306
<b>P-C-020</b>	Energy level shift at organic semiconductor interface by gold nanoparticles	
	<u>Shuo Lan</u> (Kyushu University, Japan)	...307
<b>P-C-021</b>	Cumulative gain in organic solar cells by using multiple optical nanopatterns with various pattern pitch	
	<u>Soowon Heo</u> (RIKEN, Japan)	...308
<b>P-C-022</b>	Development of all printed bulk-heterojunction organic solar cells with the inverted structure fabricated on titanium oxide nanosheet	
	<u>Eiji Itoh</u> (Shinshu University, Japan)	...309
<b>P-C-023</b>	Production of the counter for dye-sensitized solar cells using gold leaf	
	<u>Kazuhiro Shimada</u> (Industrial Research Institute of Ishikawa, Japan)	...310
<b>P-C-024</b>	Effect of fullerene C <sub>60</sub> interlayer in enhancing the performance of amorphous tungsten oxide planar perovskite solar cells	
	<u>Vincent Obiozo Eze</u> (Aichi Institute of Technology, Japan)	...311
<b>P-C-025</b>	Highly-efficient and long-term stable perovskite solar cells with a novel cross-linkable n-doped hybrid cathode interfacial layer	
	<u>Chih-Yu Chang</u> (Feng Chia University, Taiwan)	...312
<b>P-C-026</b>	Perovskite solar cells - crystal structure and interface molecular architecture	
	<u>Satoshi Uchida</u> (The University of Tokyo, Japan)	...313
<b>P-C-027</b>	Probing electric-field-induced optical second-harmonic generation from tin perovskite CH <sub>3</sub> NH <sub>3</sub> SnI <sub>3</sub>	

	films	
	<u>Taishi Noma</u> (Tokyo Institute of Technology, Japan)	...314
<b>P-C-028</b>	Novel atmospheric process for large area perovskite solar cells	
	<u>Atthaporn Ariyarit</u> (Keio University, Japan)	...315
<b>P-C-029</b>	Study on perovskite film quality controlled by PbI <sub>2</sub> crystalline for perovskite solar cells using two-step method	
	<u>Kohei Yamamoto</u> (Kanazawa University, Japan)	...316
<b>P-C-030</b>	Microwave assisted synthesis of fluorinated tin oxide carbon nano composite for energy applications	
	<u>Sadatsugu Takayama</u> (National Institute for Fusion Science, Japan)	...317

## **Session D (Bio-electronics, Bio-analysis, and Bio-interfaces)**

<b>P-D-001</b>	Light delivery inside the body with the combined use of optical semiconductors and hydrogel waveguides	
	<u>Hiroaki Takehara</u> (The University of Tokyo, Japan)	...318
<b>P-D-002</b>	Enhancement of open circuit voltage and power of implantable CMOS-compatible glucose fuel cell by employing Pt-supported on nanographene in anodic catalyst	
	<u>Kiichi Niitsu</u> (Nagoya University, Japan)	...319
<b>P-D-003</b>	Flexible, three-dimensional, implantable devices with several sensors for the measurement of thermal and electrical signals in vivo	
	<u>Jingjing Xu</u> (Peking University, China)	...320
<b>P-D-004</b>	Thickness dependence of polydopamine thin films on the detection sensitivity of surface plasmon enhanced fluorescence biosensors	
	<u>Keiko Tawa</u> (Kwansei Gakuin University, Japan)	...321
<b>P-D-005</b>	Permeability measurement of epithelial tight junctions using ammonia-superfused ISFET systems	
	<u>Hiroaki Hatano</u> (Tokyo Medical and Dental University, Japan)	...322
<b>P-D-006</b>	Enhanced discrimination using additional polymer layers for a multiplexing ACh and pH image sensor	
	<u>You-Na Lee</u> (Toyohashi University of Technology, Japan)	...323
<b>P-D-007</b>	Regeneratable surface plasmon resonance immunosensor for monitoring in medical care and environmental medicine	
	<u>Koji Toma</u> (Tokyo Medical and Dental University, Japan)	...324
<b>P-D-008</b>	Terahertz wave-TDS technique combined with metamaterials for the biomedical applications	
	<u>Narimasa Uematsu</u> (The University of Tokyo, Japan)	...325
<b>P-D-009</b>	Inkjet fabrication of biomimetic visual sensors using bacteriorhodopsin	
	<u>Hiroyuki Hasegawa</u> (NICT, Japan)	...326
<b>P-D-010</b>	Rapid structural analysis of nanomaterials in aqueous solutions	
	<u>Sou Ryuzaki</u> (Kyushu University, Japan)	...327
<b>P-D-011</b>	Direct comparison of single- and multi-walled carbon nanotubes in fluorescent quenching phenomenon	
	<u>Shusuke Oura</u> (Tokyo University of Science, Japan)	...328
<b>P-D-012</b>	Visualization of quantum-dot-antibody conjugation by high-speed atomic force microscopy for quantitative analysis at single molecule level	
	<u>Takayuki Umakoshi</u> (Osaka University, Japan)	...329
<b>P-D-013</b>	Efficient transient photocurrent generation in waveguide-type bacteriorhodopsin photocells	
	<u>Toshiki Yamada</u> (NICT, Japan)	...330
<b>P-D-014</b>	Fabrication of surface-enhanced Raman spectroscopy (SERS)-active electrode by silver sputtering deposition and application to the electrochemical SERS analysis	

	<u>Zicheng Zhu</u> (Osaka University, Japan)	...331
<b>P-D-015</b>	Fabrication of multidirectional electrical characteristics evaluation system of BLM based on microfabrication	
	<u>Takeshi Ohori</u> (Tohoku University, Japan)	...332
<b>P-D-016</b>	Single-molecule tunnel-current detection towards identification of biopolymer	
	<u>Takahito Ohshiro</u> (Osaka University, Japan)	...333
<b>P-D-017</b>	On-chip cell-free synthesis and in-situ covalent immobilization of protein for fabrication of robust protein microarray	
	<u>Shingo Ueno</u> (Institute of Industry Promotion-Kawasaki, Japan)	...334
<b>P-D-018</b>	Atomic force microscopy and FTIR spectroscopy analysis of bacteriorhodopsin laminated on hydrogenated amorphous silicon film	
	<u>Mahoko Sano</u> (Akita University, Japan)	...335
<b>P-D-019</b>	Visible light inducible voltage current property of hydro gel on laminated hydrogenated amorphous silicon film	
	<u>Yutaka Tsujiuchi</u> (Akita University, Japan)	...336
<b>P-D-020</b>	Formation of planer lipid bilayers on 2D nano-materials assisted by self-assembled peptides	
	<u>Takakazu Seki</u> (Tokyo Institute of Technology, Japan)	...337
<b>P-D-021</b>	Lipophobic surfaces enhance the stability of suspended lipid bilayers	
	<u>Daichi Yamaura</u> (Tohoku University, Japan)	...338
<b>P-D-022</b>	Atmospheric pressure plasma enhanced fabrication of non-fouling nano-coatings for 316 stainless steel biomaterial interfaces	
	<u>Chun Huang</u> (Yuan Ze University, Taiwan)	...339
<b>P-D-023</b>	Recording activities of cell-free synthesized ion-channels at artificial lipid bilayers formed in microfabricated silicon chips	
	<u>Kohei Arata</u> (Tohoku University, Japan)	...340
<b>P-D-024</b>	In situ visualization of host-guest complex formation by FM-AFM in liquid	
	<u>Yuta Sawada</u> (Kanazawa University, Japan)	...341
<b>P-D-025</b>	Influence of structural isomer phospholipids to properties of lipid bilayer membranes	
	<u>Yumi Sano</u> (Toyohashi University of Technology, Japan)	...342
<b>P-D-026</b>	Optically accelerated crystallization of protein molecules by laser trapping at the air/solution interface	
	<u>Atsushi Miura</u> (Hokkaido University, Japan)	...343